

DOCUMENTATION OF ENVIRONMENTAL INDICATOR DETERMINATION

Interim Final 2/5/99

RCRA Corrective Action

Environmental Indicator (EI) RCRIS code (CA750)

Migration of Contaminated Groundwater Under Control

Facility Name: American Electric Power Kanawha River Plant (previously Appalachian Power Company)
Facility Address: U.S. Route 60 East, Glasgow WV 25086-0110
Facility EPA ID #: WVD980554588

1. Has **all** available relevant/significant information on known and reasonably suspected releases to the groundwater media, subject to RCRA Corrective Action (e.g., from Solid Waste Management Units (SWMU), Regulated Units (RU), and Areas of Concern (AOC)), been **considered** in this EI determination?

 X If yes - check here and continue with #2 below.
 If no - re-evaluate existing data, or
 if data are not available skip to #6 and enter "IN" (more information needed) status code.

BACKGROUND

Definition of Environmental Indicators (for the RCRA Corrective Action)

Environmental Indicators (EI) are measures being used by the RCRA Corrective Action program to go beyond programmatic activity measures (e.g., reports received and approved, etc.) to track changes in the quality of the environment. The two EI developed to-date indicate the quality of the environment in relation to current human exposures to contamination and the migration of contaminated groundwater. An EI for non-human (ecological) receptors is intended to be developed in the future.

Definition of "Migration of Contaminated Groundwater Under Control" EI

A positive "Migration of Contaminated Groundwater Under Control" EI determination ("YE" status code) indicates that the migration of "contaminated" groundwater has stabilized, and that monitoring will be conducted to confirm that contaminated groundwater remains within the original "area of contaminated groundwater" (for all groundwater "contamination" subject to RCRA corrective action at or from the identified facility (i.e., site-wide)).

Relationship of EI to Final Remedies

While Final remedies remain the long-term objective of the RCRA Corrective Action program the EI are near-term objectives which are currently being used as Program measures for the Government Performance and Results Act of 1993, GPRA). The "Migration of Contaminated Groundwater Under Control" EI pertains ONLY to the physical migration (i.e., further spread) of contaminated ground water and contaminants within groundwater (e.g., non-aqueous phase liquids or NAPLs). Achieving this EI does not substitute for achieving other stabilization or final remedy requirements and expectations associated with sources of contamination and the need to restore, wherever practicable, contaminated groundwater to be suitable for its designated current and future uses.

Duration / Applicability of EI Determinations

EI Determinations status codes should remain in RCRIS national database ONLY as long as they remain true (i.e., RCRIS status codes must be changed when the regulatory authorities become aware of contrary information).

**Migration of Contaminated Groundwater Under Control
Environmental Indicator (EI) RCRIS code (CA750)**

Page 2

2. Is **groundwater** known or reasonably suspected to be “**contaminated**”¹ above appropriately protective “levels” (i.e., applicable promulgated standards, as well as other appropriate standards, guidelines, guidance, or criteria) from releases subject to RCRA Corrective Action, anywhere at, or from, the facility?

- X If yes - continue after identifying key contaminants, citing appropriate “levels,” and referencing supporting documentation.
- If no - skip to #8 and enter “YE” status code, after citing appropriate “levels,” and referencing supporting documentation to demonstrate that groundwater is not “contaminated.”
- If unknown - skip to #8 and enter “IN” status code.

Rationale and Reference(s):

Groundwater sampling results have shown exceedences above MCLs for beryllium, selenium, cadmium, chromium, and nickel due to combustion wastes (fly ash and bottom ash) handled and stored onsite. These wastes are excluded as hazardous wastes under the Bevill Amendment to RCRA.

For more information, please see the Administrative Record and the facility file.

Footnotes:

¹“Contamination” and “contaminated” describes media containing contaminants (in any form, NAPL and/or dissolved, vapors, or solids, that are subject to RCRA) in concentrations in excess of appropriate “levels” (appropriate for the protection of the groundwater resource and its beneficial uses).

Migration of Contaminated Groundwater Under Control
Environmental Indicator (EI) RCRIS code (CA750)

Page 3

3. Has the **migration** of contaminated groundwater **stabilized** (such that contaminated groundwater is expected to remain within “existing area of contaminated groundwater”² as defined by the monitoring locations designated at the time of this determination)?

- X If yes - continue, after presenting or referencing the physical evidence (e.g., groundwater sampling/measurement/migration barrier data) and rationale why contaminated groundwater is expected to remain within the (horizontal or vertical) dimensions of the “existing area of groundwater contamination”²).
- If no (contaminated groundwater is observed or expected to migrate beyond the designated locations defining the “existing area of groundwater contamination”²) - skip to #8 and enter “NO” status code, after providing an explanation.
- If unknown - skip to #8 and enter “IN” status code.

Rationale and Reference(s):

AEP has requested a variance for the elevated levels from WVDEP. To comply with the variance, AEP will be required to continue monitoring groundwater to ensure conditions do not change, the contaminated plume has not increased and that receptors are not impacted. A more detailed explanation can be found in the Administrative Record and Statement of Basis.

² “existing area of contaminated groundwater” is an area (with horizontal and vertical dimensions) that has been verifiably demonstrated to contain all relevant groundwater contamination for this determination, and is defined by designated (monitoring) locations proximate to the outer perimeter of “contamination” that can and will be sampled/tested in the future to physically verify that all “contaminated” groundwater remains within this area, and that the further migration of “contaminated” groundwater is not occurring. Reasonable allowances in the proximity of the monitoring locations are permissible to incorporate formal remedy decisions (i.e., including public participation) allowing a limited area for natural attenuation.

Migration of Contaminated Groundwater Under Control
Environmental Indicator (EI) RCRIS code (CA750)

Page 4

4. Does “contaminated” groundwater **discharge** into **surface water** bodies?

 X If yes - continue after identifying potentially affected surface water bodies.

 If no - skip to #7 (and enter a “YE” status code in #8, if #7 = yes) after providing an explanation and/or referencing documentation supporting that groundwater “contamination” does not enter surface water bodies.

 If unknown - skip to #8 and enter “IN” status code.

Rationale and Reference(s):

Metal contaminated groundwater discharges into the Kanawha River.

**Migration of Contaminated Groundwater Under Control
Environmental Indicator (EI) RCRIS code (CA750)**

Page 5

5. Is the **discharge** of “contaminated” groundwater into surface water likely to be “**insignificant**” (i.e., the maximum concentration³ of each contaminant discharging into surface water is less than 10 times their appropriate groundwater “level,” and there are no other conditions (e.g., the nature, and number, of discharging contaminants, or environmental setting), which significantly increase the potential for unacceptable impacts to surface water, sediments, or eco-systems at these concentrations)?

_____ If yes - skip to #7 (and enter “YE” status code in #8 if #7 = yes), after documenting: 1) the maximum known or reasonably suspected concentration³ of key contaminants discharged above their groundwater “level,” the value of the appropriate “level(s),” and if there is evidence that the concentrations are increasing; and 2) provide a statement of professional judgement/explanation (or reference documentation) supporting that the discharge of groundwater contaminants into the surface water is not anticipated to have unacceptable impacts to the receiving surface water, sediments, or eco-system.

X If no - (the discharge of “contaminated” groundwater into surface water is potentially significant) - continue after documenting: 1) the maximum known or reasonably suspected concentration³ of each contaminant discharged above its groundwater “level,” the value of the appropriate “level(s),” and if there is evidence that the concentrations are increasing; and 2) for any contaminants discharging into surface water in concentrations³ greater than 100 times their appropriate groundwater “levels,” the estimated total amount (mass in kg/yr) of each of these contaminants that are being discharged (loaded) into the surface water body (at the time of the determination), and identify if there is evidence that the amount of discharging contaminants is increasing.

_____ If unknown - enter “IN” status code in #8.

Rationale and Reference(s):

AEP conducted a groundwater study at the facility and identified metal contamination due to combustion wastes, which was discharging into the Kanawha River. AEP has requested variances from the WV Groundwater Standards for the groundwater contaminant levels for the following constituents: Beryllium (109 g/l), Cadmium (90 g/l), Chromium (140 g/l), Nickel (2900 g/l), Selenium (120 g/l). These levels were based on the maximum concentrations found in the groundwater; they are not average plume concentrations. WVDEP has recommended that the State Legislature approve these variances based on the risk assesement work submitted by AEP. The combustion wastes are excluded from federal RCRA Subtitle C regulation by the Bevil Amendment. WVDEP is handling the groundwater issue.

More detailed information on this issue can be found in the Administrative Record and the facility file.

³ As measured in groundwater prior to entry to the groundwater-surface water/sediment interaction (e.g., hyporheic) zone.

**Migration of Contaminated Groundwater Under Control
Environmental Indicator (EI) RCRIS code (CA750)**

Page 6

6. Can the **discharge** of “contaminated” groundwater into surface water be shown to be “**currently acceptable**” (i.e., not cause impacts to surface water, sediments or eco-systems that should not be allowed to continue until a final remedy decision can be made and implemented⁴)?

 X If yes - continue after either: 1) identifying the Final Remedy decision incorporating these conditions, or other site-specific criteria (developed for the protection of the site’s surface water, sediments, and eco-systems), and referencing supporting documentation demonstrating that these criteria are not exceeded by the discharging groundwater; OR 2) providing or referencing an interim-assessment,⁵ appropriate to the potential for impact, that shows the discharge of groundwater contaminants into the surface water is (in the opinion of a trained specialists, including ecologist) adequately protective of receiving surface water, sediments, and eco-systems, until such time when a full assessment and final remedy decision can be made. Factors which should be considered in the interim-assessment (where appropriate to help identify the impact associated with discharging groundwater) include: surface water body size, flow, use/classification/habitats and contaminant loading limits, other sources of surface water/sediment contamination, surface water and sediment sample results and comparisons to available and appropriate surface water and sediment “levels,” as well as any other factors, such as effects on ecological receptors (e.g., via bio-assays/benthic surveys or site-specific ecological Risk Assessments), that the overseeing regulatory agency would deem appropriate for making the EI determination.

 If no - (the discharge of “contaminated” groundwater can not be shown to be “**currently acceptable**”) - skip to #8 and enter “NO” status code, after documenting the currently unacceptable impacts to the surface water body, sediments, and/or eco-systems.

 If unknown - skip to 8 and enter “IN” status code.

Rationale and Reference(s):

In April, 1999, a study was conducted by AEP and Allegheny Power to evaluate the groundwater beneath the Kanawha River Plant and 11 other power plant sites in West Virginia. This report was submitted to WVDEP to support AEP’s request for a variance from the West Virginia Groundwater Standard (WVGS). Based on this study, WVDEP has determined that the elevated levels of metal contamination discharging to the Kanawha River are not impacting the surface water body. WVDEP has recommended approval of the variance to the State Legislature, which was finalized in June 2000. This approval is contingent on AEP’s continued monitoring of the contaminant plume and the variance will be reevaluated every 5 years to ensure no receptors are being impacted. The groundwater releases are attributed on-site combustion waste storage which is exempt from federal RCRA Subtitle C regulation.

In November 1999, EPA issued a Statement of Basis describing the proposed remedy of no further corrective action at this time for the site. The proposal was available for a 45 day public comment period and no comments were received. Therefore, EPA’s proposed remedy was finalized on January 14, 2000.

⁴ Note, because areas of inflowing groundwater can be critical habitats (e.g., nurseries or thermal refugia) for many species, appropriate specialist (e.g., ecologist) should be included in management decisions that could eliminate these areas by significantly altering or reversing groundwater flow pathways near surface water bodies.

Migration of Contaminated Groundwater Under Control
Environmental Indicator (EI) RCRIS code (CA750)

Page 7

⁵ The understanding of the impacts of contaminated groundwater discharges into surface water bodies is a rapidly developing field and reviewers are encouraged to look to the latest guidance for the appropriate methods and scale of demonstration to be reasonably certain that discharges are not causing currently unacceptable impacts to the surface waters, sediments or eco-systems.

7. Will groundwater **monitoring** / measurement data (and surface water/sediment/ecological data, as necessary) be collected in the future to verify that contaminated groundwater has remained within the horizontal (or vertical, as necessary) dimensions of the “existing area of contaminated groundwater?”

 X If yes - continue after providing or citing documentation for planned activities or future sampling/measurement events. Specifically identify the well/measurement locations which will be tested in the future to verify the expectation (identified in #3) that groundwater contamination will not be migrating horizontally (or vertically, as necessary) beyond the “existing area of groundwater contamination.”

 If no - enter “NO” status code in #8.

 If unknown - enter “IN” status code in #8.

Rationale and Reference(s):

The variance approved by West Virginia requires that AEP continue monitoring the contaminated plume to ensure no receptors are being impacted and the variances are being met. These monitoring locations will be specified by WVDEP.

**Migration of Contaminated Groundwater Under Control
Environmental Indicator (EI) RCRIS code (CA750)**

Page 8

8. Check the appropriate RCRIS status codes for the Migration of Contaminated Groundwater Under Control EI (event code CA750), and obtain Supervisor (or appropriate Manager) signature and date on the EI determination below (attach appropriate supporting documentation as well as a map of the facility).

 X YE - Yes, "Migration of Contaminated Groundwater Under Control" has been verified. Based on a review of the information contained in this EI determination, it has been determined that the "Migration of Contaminated Groundwater" is "Under Control" at the **AEP Kanawha River Plant facility , EPA ID # WVD 980554588, located at Glasgow, WV.** Specifically, this determination indicates that the migration of "contaminated" groundwater is under control, and that monitoring will be conducted to confirm that contaminated groundwater remains within the "existing area of contaminated groundwater" This determination will be re-evaluated when the Agency becomes aware of significant changes at the facility.

 NO - Unacceptable migration of contaminated groundwater is observed or expected.

 IN - More information is needed to make a determination.

Completed by (signature) _____ Date 02-01-02
 (print) Jennifer L. Shoemaker
 (title) Remedial Project Manager

Supervisor (signature) _____ Date 02-04-02
 (print) Robert E. Greaves
 (title) Chief, RCRA General Operations Branch
 (EPA Region or State) EPA Region 3

Locations where References may be found:

U.S. Environmental Protection Agency
Region III - 3WC23
1650 Arch Street
Philadelphia, PA 19103-2029

Contact telephone and e-mail numbers

(name) Jennifer L. Shoemaker
(phone #) (215) 814-2772
(e-mail) shoemaker.jennifer@epamail.epa.gov